



Infection Prevention with Confidence!



In the war against microbes, Accel® Disinfectants are the first line of defense for Infection Prevention. Accel® provides comfort and confidence that commonly touched surfaces and non-critical instruments are rendered safe to use.

Accel TB is a Ready-To-Use One-Step Disinfectant Cleaner for use as a daily cleaner and disinfectant of environmental surfaces and patient care devices. Accel TB Product is a powerful disinfectant that uses the Accelerated Hydrogen Peroxide® (AHP®) technology and is effective against a broad-spectrum of pathogens in only 5 minutes!



EFFECTIVE AGAINST
NOROVIRUS

EFFICACY OF ACCEL TB

TUBERCULOCIDAL (5 min. at 20°C): *Mycobacterium terrae*

GENERAL VIRUCIDE (5 min. at 20°C): Proven effectiveness against the Polio Virus, Sabin strain type 1 allows for a General Virucide claim against most enveloped and non-enveloped viruses. Human Immunodeficiency Virus, HIV, Norovirus (Feline Calicivirus as surrogate), Human Rhinovirus, Human Rotavirus, Canine Parvovirus, Human Coronavirus

BACTERICIDAL (5 min. at 20°C): *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Staphylococcus aureus* (Gentamycin and Methicillin resistant, MRSA), *Enterococcus faecalis* (Vancomycin resistant, VRE), *Acinetobacter baumannii*

FUNGICIDAL (5 min. at 20°C): *Trychophyton mentagrophytes*

BROAD-SPECTRUM SANITIZING (30 sec. at 20°C): *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Staphylococcus aureus* (Gentamycin and Methicillin resistant, MRSA), *Enterococcus faecalis* (Vancomycin resistant, VRE), *Acinetobacter baumannii*

DIRECTIONS FOR USE (HEAVILY SOILED SURFACES REQUIRE CLEANING PRIOR TO DISINFECTION)

DISINFECTION OF NON-CRITICAL, NON-POROUS HAND CONTACT SURFACES (5 Minutes)

Apply disinfectant to surface with cloth or disposable wipe. Ensure surface remains wet for 5 minutes at 20°C. Wipe dry. No rinsing is required, however, as with most chemistry, periodic damp wiping of soft surfaces and high risk equipment is considered best practice.

BROAD-SPECTRUM SANITIZING (30 Seconds)

Apply disinfectant to surface with cloth or disposable wipe. Ensure surface remains wet for 30 seconds at 20°C. Wipe dry. No rinsing is required, however, as with most chemistry, periodic damp wiping of soft surfaces and high risk equipment is considered best practice.

| | Accel TB Liquid | Accel TB Wipes |
|--------------------------------|---|---|
| Product Number | ACCDISR1-TB (1 Litre) ACCDISR4-TB (4 Litre) ACCDISR200-TB (200 Litre) - Special Order | ACCWIP1-TB (6"x7" Wipe) ACCWIP1-TB10x10 (10"x10" Wipe) ACCWIPTB-SP (Soft Pack 7.5"x10" Wipe) |
| DIN # | 02246903 | 02283352 |
| Concentration of Active | 0.5% Hydrogen Peroxide | 0.5% Hydrogen Peroxide |
| Container Size | 1L, 4L, 200L | 160 sheets per canister (6"x7") 60 sheets per canister (10" x 10") 10 sheets per Soft Pack (7.5"x10") |
| Dilution | Ready To Use | Ready To Use |
| Shelf Life | 24 Months | 24 Months |



Engineering Revolutionary Disinfectants for the War Against Microbes

1 (800) 387-7578
www.virox.com