



FINAL STUDY REPORT

STUDY TITLE

Standard Test Method for Efficacy of Sanitizers
Recommended for Inanimate Non-Food Contact Surfaces

Test Organism:

Salmonella choleraesuis (ATCC 10708)

PROTOCOL NUMBER

SRC27022404.NFS.2

PRODUCT IDENTITY

ACCEL TB
Lot 2-3646-REG-US and Lot 3-3647-REG-US

DATA REQUIREMENTS

U.S. EPA 40 CFR Part 158
"Data Requirements for Registration"
Pesticide Assessment Guidelines - Subdivision G, 91-2 (j)

AUTHOR

Sally Nada, B.S.
Study Director

STUDY COMPLETION DATE

July 8, 2004

PERFORMING LABORATORY

ATS Labs
1285 Corporate Center Drive, Suite 110
Eagan, MN 55121

PREPARED FOR

Virox Technologies
6705 Mill Creek Road Unit 4
Mississauga, Ontario L5N5M4

SPONSOR REPRESENTATIVE

Scientific & Regulatory Consultants, Inc.
102 1/2 South Chauncey Street
Columbia City, IN 46725-2306

PROJECT NUMBER

A02072

Page 1 of 23

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 2 of 23



STATEMENT OF NO DATA CONFIDENTIALITY CLAIMS

No claim of confidentiality is made for any information contained in this study on the basis of its falling within the scope of FIFRA Section 10 (d) (1) (A), (B), or (C).

Company: Virox Technologies

Company Agent: Sally Hayes

Agent for Virox Technologies

Title

Sally Hayes

Signature

Date: 09/20/04

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 3 of 23



GOOD LABORATORY PRACTICE STATEMENT

The study referenced in this report was conducted in compliance with U.S. Environmental Protection Agency Good Laboratory Practice (GLP) regulations set forth in 40 CFR Part 160.

The studies not performed by or under the direction of ATS Labs are exempt from this Good Laboratory Practice Statement and include: characterization and stability of the compound(s).

Submitter: Sally Hayes
Sally Hayes, Agent for Virox Technologies

Date: 09/20/04

Sponsor: Rhonda Jones
Rhonda Jones, Agent for Virox Technologies

Date: 7-14-04

Study Director: Sally Nada
Sally Nada, B.S.

Date: 7/8/04

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 4 of 23



QUALITY ASSURANCE UNIT SUMMARY

Study: Standard Test Method for Efficacy of Sanitizers Recommended for Inanimate Non-Food Contact Surfaces

The objective of the Quality Assurance Unit is to monitor the conduct and reporting of nonclinical laboratory studies. These studies have been performed under Good Laboratory Practice regulations (40 CFR Part 160) and in accordance to standard operating procedures and standard protocols. The Quality Assurance Unit maintains copies of study protocols and standard operating procedures and has inspected this study on the dates listed below. Studies are inspected at time intervals to assure the integrity of the study.

Phase Inspected	Date	Study Director	Management
Critical Phase	April 16, 2004	April 16, 2004	May 21, 2004
	April 23, 2004	April 23, 2004	
	May 11, 2004	May 11, 2004	
Draft Report	May 20, 2004	May 20, 2004	
Final Report	July 7, 2004	July 7, 2004	July 8, 2004

The findings of these inspections have been reported to management and the Study Director.

Quality Assurance Auditor:

Rachelle L. Evnan

Date:

07/08/04

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 5 of 23



TABLE OF CONTENTS

Title Page	1
Statement of No Data Confidentiality Claims	2
Good Laboratory Practice Statement	3
Quality Assurance Unit Summary	4
Table of Contents	5
Study Personnel	6
General Study Information	7
Test Substance Identity	7
Study Dates	7
Objective	7
Summary of Results	8
Test History	8
Study Materials	8
Test Method	9
Study Controls	10
Study Acceptance Criteria	11
Protocol Changes	11
Data Analysis	12
Study Retention	13
References	13
Results	13
Analysis	14
Study Conclusion	14
Table 1: Control Results	15
Table 2: Neutralization Confirmation Control Results	15
Table 3: Inoculum Count Results	15
Table 4: Evaluation of Control Carrier Data	16
Table 5: Evaluation of Dry Control Carrier Data	16
Table 6: Evaluation of Test Carrier Data	16
Table 7: Calculated Values	17
Attachment I: Invalid Data	18
Attachment II: Invalid Data	21

Project No. A02072

Protocol Number: SRC27022404.NFS.2

Virox Technologies

Page 6 of 23



STUDY PERSONNEL

STUDY DIRECTOR: Sally Nada, B.S.

Professional personnel involved:

Douglas G. Anderson, Ph.D.	- President
Karen M. Ramm, B.A.	- Technical Director
David Rottjakob, M.T.	- Microbiology Program Manager
Barbara Bailey, A.A.	- Microbiology Laboratory Supervisor
Sally Nada, B.S.	- Research Scientist I
Jill Ruhme, B.S.	- Research Scientist I
Adam W. Pitt, B.S.	- Research Assistant II
Scott R. Steinagel, B.S.	- Research Assistant I
Matthew Sathe, B.S.	- Research Assistant I
Peter Toll, B.S.	- Research Assistant I
Lisa Slusser, B.S.	- Research Assistant I

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 7 of 23



STUDY REPORT

GENERAL STUDY INFORMATION

Study Title: Standard Test Method for Efficacy of Sanitizers Recommended for Inanimate Non-Food Contact Surfaces

Project Number: A02072

Protocol Number: SRC27022404.NFS.2

Sponsor: Virox Technologies
6705 Mill Creek Road Unit 4
Mississauga, Ontario L5N5M4

Sponsor Representative: Scientific & Regulatory Consultants, Inc.
102 1/2 South Chauncey Street
Columbia City, IN 46725-2306

Test Facility: ATS Labs
1285 Corporate Center Drive, Suite 110
Eagan, MN 55121

TEST SUBSTANCE IDENTITY

Test Substance Name: ACCEL TB

Lot/Batch(s): Lot 2-3646-REG-US and Lot 3-3647-REG-US

Test Substance Characterization

Test substance characterization as to content, stability, etc., (40 CFR, Part 160, Subpart F [160.105]) is the responsibility of the Sponsor.

STUDY DATES

Date Sample Received: March 11, 2004
Study Initiation Date: April 1, 2004
Experimental Start Date: April 14, 2004
Experimental End Date: May 13, 2004
Study Completion Date: July 8, 2004

OBJECTIVE

The objective of this assay was to evaluate the antimicrobial efficacy of sanitizers on pre-cleaned inanimate, nonporous, non-food contact surfaces in compliance with the U.S. EPA requirements set forth in the Pesticide Assessment Guidelines.

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 8 of 23



SUMMARY OF RESULTS

Test Substance: ACCEL TB (Lot 2-3646-REG-US and Lot 3-3647-REG-US)
 Dilution: Ready to use (RTU)
 Test Organism: *Salmonella choleraesuis* (ATCC 10708)
 Exposure Time: 30 seconds
 Exposure Temperature: 20±1°C
 Organic Soil Load: 5% fetal bovine serum
 Efficacy Result: Two lots of ACCEL TB demonstrated efficacy against *Salmonella choleraesuis* as required by the U.S. EPA for non-food contact sanitizer label claims.

TEST HISTORY

Testing was started on 4/14/04 and resulted in a carrier quantitation control failure of *S. choleraesuis* demonstrating 2.00×10^4 CFU/carrier. Testing was then repeated on 4/23/04 and also resulted in a carrier quantitation control failure demonstrating 1.5×10^4 CFU/carrier. No survivors were found in the test carrier recovery on 4/14/04 and 4/23/04 studies. Testing was further repeated on 5/11/04 generating a carrier quantitation of 1.29×10^6 CFU/carrier. See Attachment I and II for invalid data.

STUDY MATERIALS

Test System/Growth Media

Test Organism	ATCC #	Growth Medium
<i>Salmonella choleraesuis</i>	10708	Synthetic Broth

The microorganism used in this study was obtained from the American Type Culture Collection, Manassas, Virginia.

Recovery Media

Neutralizing Subculture Medium: Lethen Broth with 1.0% Sodium Thiosulfate and 0.05% Catalase
 Agar Plate Medium: Tryptic Soy Agar with 5% Sheep Blood (BAP)

Reagents

Organic Soil Load Description: 5% fetal bovine serum (FBS)

Carriers

Glass square carriers (1 inch x 1 inch) were dipped in 95% alcohol, rinsed with deionized water, and air dried before sterilization. For each organism used, a sufficient number of carriers were placed into a large glass petri dish and sterilized in a hot air oven for 2 hours at 180°C. After sterilization, each carrier was placed into an individual petri dish using sterile forceps.

Constant Humidity Chamber

A controlled humidified chamber was used to dry the carriers.

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 9 of 23



TEST METHOD

Preparation of Test Substance

The test substance was ready to use (RTU), as received from the Sponsor. The test substance was homogenous as determined by visual observation.

Preparation of Inocula

From stock cultures, the tubes of Synthetic Broth were inoculated and incubated for 24 ± 2 hours at $35-37^{\circ}\text{C}$. Using a 4-mm inside diameter wire transfer loop, at least three consecutive daily transfers of cultures were made prior to use as inoculum. Two loopfuls of culture were transferred to 10 mL broth medium and incubated for 48 ± 4 hours. Transfers which were more than 15 days away from stock culture were not used.

The 48 ± 4 hour culture of test organism was thoroughly mixed using a "vortex" mixer, then allowed to settle for ≥ 15 minutes. The upper two thirds of this suspension was removed and used as the inoculum for testing. To this supernatant, 5% (v/v) sterile fetal bovine serum was added. This suspension, containing 5% sterile fetal bovine serum, was used as the inoculum for testing. Inoculum dilution was not employed to achieve the requested carrier count range.

Addition of Organic Soil Load

A 0.25 mL aliquot of FBS was added to 4.75 mL of broth culture to yield a 5% fetal bovine serum soil load.

Inoculation of Test and Control Carriers

The sterile glass carriers were inoculated with 0.03 mL of 48 ± 4 -hour culture using a calibrated pipettor. The inoculum was spread to within 1/8 inch of the edges of the carrier.

All plates containing the inoculated carriers were placed in the humidity chamber. The carriers were allowed to remain at $35-37^{\circ}\text{C}$ and at a relative humidity of $40 \pm 2\%$ for 40 minutes.

Treatment of Inoculated Test Carriers

After the inoculated carriers were dried at 36.1°C and 41% relative humidity for 40 minutes, all carriers were removed from the humidity chamber and placed at room temperature. The five test carriers and three control carriers were transferred to sterile jars using sterile forceps. The test carriers were medicated with 5 mL of the test substance and exposed at 20.0°C for 30 seconds.

Neutralization and Subculture

Following the Sponsor specified exposure period of 30 seconds, 20 mL of the appropriate neutralizer solution was transferred to the jar and rotated vigorously on an even plane approximately 50 rotations to suspend the surviving organisms in the neutralizer solution. Subsequent carriers were neutralized using staggered intervals and agitated each in turn.

Within 30 minutes after addition of the neutralizer to the test solution, 1.0 mL of the 10^0 and 10^{-1} dilutions of the neutralizer solution from each of the five test carriers jars was plated in duplicate using the standard spread plate technique and BAP.

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 10 of 23



Incubation and Observation

The neutralized subcultures were incubated for 48±4 hours at 35-37°C. Following incubation, the subcultures were examined for the presence or absence of visible growth.

STUDY CONTROLS

Carrier Quantitation Control

The test was performed using three inoculated carriers and a 0.01% Triton X-100 solution in place of test substance. The inoculated control carriers were exposed to the 0.01% Triton X-100 solution for 30 seconds at 20.0°C. 20 mL of neutralizing broth was transferred to the jar containing the treated carrier and the jars were rotated as in the test. Ten-fold serial dilutions of each neutralizing broth were made through 10⁻⁵ dilution. An aliquot (1.0 mL) was plated in duplicate on BAP from the 10⁻² through 10⁻⁵ dilutions. The plates were incubated as in the test.

The acceptance criterion for this study control is a minimum geometric mean of 1.0 x 10⁵ - 5.0 x 10⁶ CFU/carrier.

Dry Control

An inoculated dry carrier was added to a 20 mL jar of neutralizing broth and vortex mixed. Ten-fold serial dilutions of the neutralized broth were prepared. One (1.0) mL of 10⁻¹ through 10⁻⁵ were plated in duplicate to yield countable numbers. Plates were incubated as in the test and enumerated. This control is for information purposes only and therefore has no acceptance criterion.

Neutralization Confirmation Control

A neutralization confirmation control was performed to demonstrate the neutralizer's ability to inactivate the test substance. The neutralization of the test substance was confirmed by exposing sterile carriers to the test substance and neutralizing as in the test procedure. An aliquot (1.0 mL) of a diluted suspension of the test organism yielding 10-100 CFU/mL of neutralized solution was transferred to the jar and mixed. An aliquot (1.0 mL) of this mixed solution was plated in duplicate. A numbers control was performed, utilizing a sterile solution in place of the test substance. The resulting plates were incubated as in the test and enumerated. The acceptance criterion for this study control is growth within 1 log₁₀ of the numbers control.

Purity Control

A "streak plate for isolation" was performed on the organism culture and following incubation examined in order to confirm the presence of a pure culture. The acceptance criterion for this study control is a pure culture demonstrating colony morphology typical of the test organism.

Organic Soil Sterility Control

The serum used for soil load was cultured, incubated, and observed for lack of growth. The acceptance criterion for this study control is lack of growth.

Inoculum Count Control

Ten-fold serial dilutions of the initial suspension were prepared. An aliquot (1.0 mL) of the dilutions 10⁻⁷ through 10⁻⁸ were plated in duplicate using BAP. The plates were incubated as in the test. This control was for informational purposes only and therefore has no acceptance criterion.

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 11 of 23



Neutralizing Subculture Medium Sterility Control

A representative sample of uninoculated neutralizing subculture medium was incubated and visually examined. The acceptance criterion for this study control was lack of growth.

Carrier Sterility Control

A representative uninoculated carrier was added to the neutralizing subculture medium. The subculture medium containing the carrier was incubated and examined. The acceptance criterion for this study control is lack of growth.

Viability Control

A representative inoculated carrier was added to the subculture medium. The subculture medium containing the carrier was incubated and examined for growth. The acceptance criterion for this study control is growth.

STUDY ACCEPTANCE CRITERIA

Test Substance Performance Criteria

The test substance must meet the EPA efficacy data requirements that a 99.9% reduction in numbers of the test organism(s) was obtained as compared to the carrier quantitation control.

Control Acceptance Criteria

The study controls must perform according to the criteria detailed in the study controls description section.

PROTOCOL CHANGES

Protocol Amendments:

This protocol is amended per Sponsor's request to state that the percent reduction will be reported using six digits.

Protocol Deviations:

The cultures were not diluted for testing to achieve the standardization range as stated in the protocol. Daily culture transfers displayed homogeneity and typical counts of approximately 10^8 CFU/mL, consequently no adjustments of the cultures were necessary on the day of testing. Therefore, this had no impact on the study.

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 12 of 23



DATA ANALYSIS

Calculations

Number of Organisms Surviving per Carrier

$$\text{CFU/carrier} = \frac{(\text{average number colonies/plate @ dilution}) \times (\text{dilution factor}) \times (\text{volume neutralized solution})}{(\text{volume plated})}$$

The carrier population was calculated and reported using data from the most appropriate dilution(s).

Geometric Mean of Number of Organisms Surviving on Control Carrier:

$$\text{Geometric Mean} = \text{Antilog of } \frac{\text{Log}_{10}X_1 + \text{Log}_{10}X_2 + \text{Log}_{10}X_3}{3}$$

where X equals CFU/control carrier

Geometric Mean of Number of Organisms Surviving on Test Carrier:

$$\text{Geometric Mean} = \text{Antilog of } \frac{\text{Log}_{10}Y_1 + \text{Log}_{10}Y_2 + \text{Log}_{10}Y_3 + \text{Log}_{10}Y_4 + \text{Log}_{10}Y_5}{5}$$

where Y equals CFU/test carrier

Percent Reduction

$$\% \text{ reduction} = [(a - b) / a] \times 100$$

where:

a = geometric mean of the number of organisms surviving on the inoculated control carriers.

b = geometric mean of the number of organisms surviving on the test carriers.

$$\text{Recovery Log}_{10} \text{ Difference} = (\text{Log}_{10} \text{ Numbers Control}) - (\text{Log}_{10} \text{ Test Results})$$

Statistical Methods

Geometric Mean and Percent Reduction.

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 13 of 23



STUDY RETENTION

Record Retention

All of the original raw data developed exclusively for this study shall be archived at ATS Labs, 1285 Corporate Center Drive, Suite 110, Eagan, MN 55121. These original data include, but are not limited to, the following:

1. Certified copy of final study report.
2. Original signed protocol.
3. Any protocol amendments.
4. All handwritten raw data for control and test substances including, but not limited to notebooks, data forms and calculations.
5. All measured data used in formulating the final report.
6. Memoranda, specifications, and other study specific correspondence relating to interpretation and evaluation of data, other than those documents contained in the final study report.
7. Study specific SOP deviations made during the study.

Test Substance Retention

The test substance will be discarded following study completion per Sponsor approved protocol. It is the responsibility of the Sponsor to retain a sample of the test material.

REFERENCES

1. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, Efficacy Data Requirements Sanitizer Test (for inanimate, non-food contact surfaces), DIS/TSS-10, January 7, 1982.
2. U.S. Environmental Protection Agency Pesticide Assessment Guidelines, Subdivision G, Section 91-2; Item j Sanitizers (for non-food contact surfaces) and Section 91-30(d) (8) Recommended Methods for Sanitizers – Non-food Contact Surfaces.
3. ASTM Test Method, Standard Test Method for Efficacy of Sanitizers Recommended for Inanimate Non-Food Contact Surfaces, E1153, July 2003.
4. Official Methods of Analysis of the AOAC, Seventeenth Edition, 2000. Chapter 6 – Disinfectants, 961.02. Germicidal Spray Products as Disinfectants.

RESULTS

Control and Neutralization Results (Tables 1-5)

All data measurements/controls including the carrier quantitation, neutralization confirmation, culture purity, organic soil load sterility, carrier sterility, viability and neutralizing subculture medium sterility controls were within acceptance criteria.

Test Results (Table 6-7)

Project No. A02072
Protocol Number: SRC27022404.NFS.2

Virox Technologies
Page 14 of 23



ANALYSIS

ACCEL TB (Lot 2-3646-REG-US and Lot 3-3647-REG-US), ready to use, demonstrated >99.9977 percent reduction of *Salmonella choleraesuis*.

STUDY CONCLUSION

Under the conditions of this investigation, in the presence of a 5% fetal bovine serum soil load, ACCEL TB (Lot 2-3646-REG-US and Lot 3-3647-REG-US), ready to use, is an effective sanitizer against *Salmonella choleraesuis* for inanimate non-food contact surfaces after a 30 second contact period at 20.0°C.

In the opinion of the Study Director, there were no circumstances that may have adversely affected the quality or integrity of the data.

The use of the ATS Labs name, logo or any other representation of ATS Labs without the written approval of ATS Labs is prohibited. In addition, ATS Labs may not be referred to in any form of promotional materials, press releases, advertising or similar materials (whether by print, broadcast, communication or electronic means) without the express written permission of ATS Labs.

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 15 of 23



TABLE 1: CONTROL RESULTS

The following results from controls confirmed study validity:

Type of Control	Results
	<i>Salmonella choleraesuis</i> (ATCC 10708)
Purity Control	Pure
Viability Control	Growth
Organic Soil Sterility Control	No Growth
Neutralizing Subculture Medium Sterility Control	No Growth
Carrier Sterility Control	No Growth

TABLE 2: NEUTRALIZATION CONFIRMATION CONTROL RESULTS

Test Substance	Test Organism	Dilution Plated	Neutralization Confirmation Numbers Control (# Survivors/mL)	Neutralization Confirmation Results (# Survivors/mL)	± 1.0 Log ₁₀	Pass/Fail
ACCEL TB, Lot 2-3646-REG-US	<i>Salmonella choleraesuis</i>	10 ⁻⁶	48, 49	52, 59	-0.06	Pass
ACCEL TB, Lot 3-3647-REG-US		10 ⁻⁶		40, 42	0.08	Pass

TABLE 3: INOCULUM COUNT RESULTS

Test Organism	Initial Suspension*
<i>Salmonella choleraesuis</i> (ATCC 10708)	7.5 x 10 ⁸ CFU/mL

CFU = Colony Forming Unit

*No dilution was employed to obtain this value.

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 16 of 23



TABLE 4: EVALUATION OF CONTROL CARRIER DATA

Test Organism	Carrier #	#Survivors/mL Neutralizer Solution	# Survivors/Carrier	Log ₁₀	Geometric Mean (CFU/Carrier)
<i>Salmonella choleraesuis</i>	1	4.5 x 10 ⁴	1.1 x 10 ⁶	6.04	1.29 x 10 ⁶
	2	4.0 x 10 ⁴	1.0 x 10 ⁶	6.00	
	3	7.9 x 10 ⁴	2.0 x 10 ⁶	6.30	

TABLE 5: EVALUATION OF DRY CONTROL CARRIER DATA

Test Organism	#Survivors/mL Neutralizer Solution	# Survivors/Carrier	Log ₁₀
<i>Salmonella choleraesuis</i>	4.7 x 10 ⁵	9.4 x 10 ⁶	6.97

TABLE 6: EVALUATION OF TEST CARRIER DATA

Test Substance	Test Organism	Sample Dilution*	Carrier Number	Number of Survivors (Neutralizer Solution)			
				1.0 mL plated of 10 ⁰ dilution		1.0 mL plated of 10 ⁻¹ dilution	
ACCEL TB, Lot 2-3646-REG-US	<i>Salmonella choleraesuis</i>	RTU	1	0, 0	Avg. <1	0, 0	Avg. <1
			2	0, 0	Avg. <1	0, 0	Avg. <1
			3	0, 0	Avg. <1	0, 0	Avg. <1
			4	0, 0	Avg. <1	0, 0	Avg. <1
			5	0, 0	Avg. <1	0, 0	Avg. <1
ACCEL TB, Lot 3-3647-REG-US			1	0, 0	Avg. <1	0, 0	Avg. <1
			2	0, 0	Avg. <1	0, 0	Avg. <1
			3	0, 0	Avg. <1	0, 0	Avg. <1
			4	0, 0	Avg. <1	0, 0	Avg. <1
			5	0, 0	Avg. <1	0, 0	Avg. <1

* RTU = Ready to use

A value of <1 was used in place of zero for calculation purposes only.

Project No. A02072

Virox Technologies



Protocol Number: SRC27022404.NFS.2

Page 17 of 23

TABLE 7: CALCULATED VALUES

Test Substance: ACCEL TB (Lot 2-3646-REG-US)						
Test Organism	Carrier #	# Survivors/ Carrier*	Log ₁₀	Average Log ₁₀	Geometric Mean	Percent Reduction
<i>Salmonella choleraesuis</i>	1	<3 x 10 ¹	<1.48	<1.48	<30.2	>99.9977
	2	<3 x 10 ¹	<1.48			
	3	<3 x 10 ¹	<1.48			
	4	<3 x 10 ¹	<1.48			
	5	<3 x 10 ¹	<1.48			
Test Substance: ACCEL TB (Lot 3-3647-REG-US)						
Test Organism	Carrier #	# Survivors/ Carrier*	Log ₁₀	Average Log ₁₀	Geometric Mean	Percent Reduction
<i>Salmonella choleraesuis</i>	1	<3 x 10 ¹	<1.48	<1.48	<30.2	>99.9977
	2	<3 x 10 ¹	<1.48			
	3	<3 x 10 ¹	<1.48			
	4	<3 x 10 ¹	<1.48			
	5	<3 x 10 ¹	<1.48			

*Calculated method detection limit values.

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 18 of 23



ATTACHMENT I

INVALID DATA

NOTE: Due to carrier quantitation control failure, this assay was repeated.

SET UP DATE: April 14, 2004
SAMPLE NAME OR CODE: ACCEL TB, Lot 2-3646-REG-US and Lot 3-3647-REG-US
ORGANISM: *Salmonella choleraesuis* (ATCC 10708)
CULTURE MEDIUM: Synthetic Broth
SUBCULTURE MEDIUM: Lethen Broth with 1.0% Sodium Thiosulfate and 0.05% Catalase
SOIL LOAD: 4.75 mL broth culture + 0.25 mL Fetal Bovine Serum (5%)

CONTROL RESULTS

Type of Control	Results
	<i>Salmonella choleraesuis</i> (ATCC 10708)
Purity Control	Pure
Viability Control	Growth
Organic Soil Sterility Control	No Growth
Neutralizing Subculture Medium Sterility Control	No Growth
Carrier Sterility Control	No Growth

NEUTRALIZATION CONFIRMATION CONTROL RESULTS

Test Substance	Test Organism	Dilution Plated	Neutralization Confirmation Numbers Control (# Survivors/mL)	Neutralization Confirmation Results (# Survivors/mL)	± 1.0 Log ₁₀	Pass/Fail
ACCEL TB, Lot 2-3646-REG-US	<i>Salmonella choleraesuis</i>	10 ⁻⁶	19, 13	47, 11	-0.26	Pass
ACCEL TB, Lot 3-3647-REG-US		10 ⁻⁶		19, 10	-0.02	Pass

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 19 of 23



INOCULUM COUNT RESULTS

Test Organism	Initial Suspension
<i>Salmonella choleraesuis</i> (ATCC 10708)	3.7×10^8 CFU/mL

CFU = Colony Forming Unit

EVALUATION OF CONTROL CARRIER DATA

Test Organism	Carrier #	#Survivors/mL Neutralizer Solution	# Survivors/ Carrier	Log ₁₀	Geometric Mean (CFU/Carrier)
<i>Salmonella choleraesuis</i>	1	6×10^2	2×10^4	4.30	2.00×10^4
	2	7×10^2	2×10^4	4.30	
	3	9×10^2	2×10^4	4.30	

EVALUATION OF DRY CONTROL CARRIER DATA

Test Organism	#Survivors/mL Neutralizer Solution	# Survivors/ Carrier	Log ₁₀
<i>Salmonella choleraesuis</i>	8.9×10^2	1.8×10^4	4.26

EVALUATION OF TEST CARRIER DATA

Test Substance	Test Organism	Sample Dilution*	Carrier Number	Number of Survivors (Neutralizer Solution)			
				1.0 mL plated of 10 ⁰ dilution		1.0 mL plated of 10 ⁻¹ dilution	
ACCEL TB, Lot 2-3646-REG-US	<i>Salmonella choleraesuis</i>	RTU	1	0,0	Avg. <1	0,0	Avg. <1
			2	0,0	Avg. <1	0,0	Avg. <1
			3	0,0	Avg. <1	0,0	Avg. <1
			4	0,0	Avg. <1	0,0	Avg. <1
			5	0,0	Avg. <1	0,0	Avg. <1
ACCEL TB, Lot 3-3647-REG-US			1	0,0	Avg. <1	0,0	Avg. <1
			2	0,0	Avg. <1	0,0	Avg. <1
			3	0,0	Avg. <1	0,0	Avg. <1
			4	0,0	Avg. <1	0,0	Avg. <1
			5	0,0	Avg. <1	0,0	Avg. <1

* RTU = Ready to use

A value of <1 was used in place of zero for calculation purposes only.

Project No. A02072

Virox Technologies



Protocol Number: SRC27022404.NFS.2

Page 20 of 23

CALCULATED VALUES

Test Substance: ACCEL TB (Lot 2-3646-REG-US)						
Test Organism	Carrier #	# Survivors/ Carrier*	Log ₁₀	Average Log ₁₀	Geometric Mean	Percent Reduction
<i>Salmonella choleraesuis</i>	1	<3 x 10 ¹	<1.48	<1.48	<30.2	NA
	2	<3 x 10 ¹	<1.48			
	3	<3 x 10 ¹	<1.48			
	4	<3 x 10 ¹	<1.48			
	5	<3 x 10 ¹	<1.48			
Test Substance: ACCEL TB (Lot 3-3647-REG-US)						
Test Organism	Carrier #	# Survivors/ Carrier*	Log ₁₀	Average Log ₁₀	Geometric Mean	Percent Reduction
<i>Salmonella choleraesuis</i>	1	<3 x 10 ¹	<1.48	<1.48	<30.2	NA
	2	<3 x 10 ¹	<1.48			
	3	<3 x 10 ¹	<1.48			
	4	<3 x 10 ¹	<1.48			
	5	<3 x 10 ¹	<1.48			

NA = Not applicable due to carrier quantitation control failure.

*Calculated method detection limit values.

Project No. A02072
 Protocol Number: SRC27022404.NFS.2

Virox Technologies
 Page 21 of 23



ATTACHMENT II

INVALID DATA

NOTE: Due to carrier quantitation control failure, this assay was repeated.

SET UP DATE: April 23, 2004
SAMPLE NAME OR CODE: ACCEL TB, Lot 2-3646-REG-US and Lot 3-3647-REG-US
ORGANISM: *Salmonella choleraesuis* (ATCC 10708)
CULTURE MEDIUM: Synthetic Broth
SUBCULTURE MEDIUM: Lethen Broth with 1.0% Sodium Thiosulfate and 0.05% Catalase
SOIL LOAD: 4.75 mL broth culture + 0.25 mL Fetal Bovine Serum (5%)

CONTROL RESULTS

Type of Control	Results
	<i>Salmonella choleraesuis</i> (ATCC 10708)
Purity Control	Pure
Viability Control	Growth
Organic Soil Sterility Control	No Growth
Neutralizing Subculture Medium Sterility Control	No Growth
Carrier Sterility Control	No Growth

NEUTRALIZATION CONFIRMATION CONTROL RESULTS

Test Substance	Test Organism	Dilution Plated	Neutralization Confirmation Numbers Control (# Survivors/mL)	Neutralization Confirmation Results (# Survivors/mL)	±1.0 Log ₁₀	Pass/Fail
ACCEL TB, Lot 2-3646-REG-US	<i>Salmonella choleraesuis</i>	10 ⁻⁶	14, 0	2, 0	0.85	Pass
ACCEL TB, Lot 3-3647-REG-US		10 ⁻⁸		22, 6	-0.30	Pass

Project No. A02072

Virox Technologies



Protocol Number: SRC27022404.NFS.2

Page 22 of 23

INOCULUM COUNT RESULTS

Test Organism	Initial Suspension
<i>Salmonella choleraesuis</i> (ATCC 10708)	5×10^7 CFU/mL

CFU = Colony Forming Unit

EVALUATION OF CONTROL CARRIER DATA

Test Organism	Carrier #	#Survivors/mL Neutralizer Solution	# Survivors/ Carrier	Log ₁₀	Geometric Mean (CFU/Carrier)
<i>Salmonella choleraesuis</i>	1	3×10^2	8×10^3	3.90	1.5×10^4
	2	5×10^2	1×10^4	4.00	
	3	1.7×10^3	4.3×10^4	4.63	

EVALUATION OF DRY CONTROL CARRIER DATA

Test Organism	#Survivors/mL Neutralizer Solution	# Survivors/ Carrier	Log ₁₀
<i>Salmonella choleraesuis</i>	5.8×10^3	1.2×10^5	5.08

EVALUATION OF TEST CARRIER DATA

Test Substance	Test Organism	Sample Dilution*	Carrier Number	Number of Survivors (Neutralizer Solution)			
				1.0 mL plated of 10 ⁰ dilution		1.0 mL plated of 10 ⁻¹ dilution	
ACCEL TB, Lot 2-3646-REG-US	<i>Salmonella choleraesuis</i>	RTU	1	0,0	Avg. <1	0,0	Avg. <1
			2	0,0	Avg. <1	0,0	Avg. <1
			3	0,0	Avg. <1	0,0	Avg. <1
			4	0,0	Avg. <1	0,0	Avg. <1
			5	0,0	Avg. <1	0,0	Avg. <1
ACCEL TB, Lot 3-3647-REG-US			1	0,0	Avg. <1	0,0	Avg. <1
			2	0,0	Avg. <1	0,0	Avg. <1
			3	0,0	Avg. <1	0,0	Avg. <1
			4	0,0	Avg. <1	0,0	Avg. <1
			5	0,0	Avg. <1	0,0	Avg. <1

* RTU = Ready to use

A value of <1 was used in place of zero for calculation purposes only.

Project No. A02072

Virox Technologies



Protocol Number: SRC27022404.NFS.2

Page 23 of 23

CALCULATED VALUES

Test Substance: ACCEL TB (Lot 2-3646-REG-US)						
Test Organism	Carrier #	# Survivors/ Carrier*	Log ₁₀	Average Log ₁₀	Geometric Mean	Percent Reduction
<i>Salmonella choleraesuis</i>	1	<3 x 10 ¹	<1.48	<1.48	<30.2	NA
	2	<3 x 10 ¹	<1.48			
	3	<3 x 10 ¹	<1.48			
	4	<3 x 10 ¹	<1.48			
	5	<3 x 10 ¹	<1.48			
Test Substance: ACCEL TB (Lot 3-3647-REG-US)						
Test Organism	Carrier #	# Survivors/ Carrier*	Log ₁₀	Average Log ₁₀	Geometric Mean	Percent Reduction
<i>Salmonella choleraesuis</i>	1	<3 x 10 ¹	<1.48	<1.48	<30.2	NA
	2	<3 x 10 ¹	<1.48			
	3	<3 x 10 ¹	<1.48			
	4	<3 x 10 ¹	<1.48			
	5	<3 x 10 ¹	<1.48			

NA = Not applicable due to carrier quantitation control failure.

*Calculated method detection limit values.